

Amendments to the Specification:

Please delete the previous abstract at page 28 and add the following new abstract:

Radiation-curable ink compositions and methods of printing including the compositions are disclosed. In some embodiments, a radiation-curable hot melt ink composition includes a colorant, a polymerizable monomer, and a photoinitiating system. The photoinitiating system can include 0.5-1.5% by weight of an aromatic ketone photoinitiator, 2-10% by weight of an amine synergist, 3-8% by weight of an alpha-cleavage type photoinitiator, and 0.5-1.5% by weight of a photosensitizer.